PRENATAL DIAGNOSIS
(*Prenat Diagn*)

Contents

VOLUME 25, ISSUE Nos. 1–13

ISSUE NUMBER 1, JANUARY 2005

Fetal Cytogenetics

Short Communication

Prenatal diagnosis of Fanconi anemia (Group C) subsequent to abnormal sonographic findings: *A. Merrill, L. Rosenblum-Vos, D. A. Driscoll, K. Daley and K. Treat* 20

Brief Report

Characterization of a small supernumerary marker chromosome as r(8) at prenatal diagnosis by MFISH: *L. A. Gole and A. Biswas* 73

Fetal Molecular Biology and Biochemistry

DNA-based prenatal diagnosis for severe and variant forms of multiple acyl-CoA dehydrogenation deficiency: *R. K. J. Olsen, B. S. Andresen, E. Christensen, H. Mandel, F. Skovby, J. P. Nielsen, I. Knudsen, C. Vianey-Saban, H. Simonsen and N. Gregersen.* 60

Detection of mosaicism for primary trisomies in prenatal samples by QF-PCR and karyotype analysis: *C. Donaghue, K. Mann, Z. Docherty and C. Mackie Ogilvie.* 65

Maternal cell contamination of prenatal samples assessed by QF-PCR genotyping: *T. Stojilkovic-Mikic, K. Mann, Z. Docherty and C. Mackie Ogilvie* 79

Short Communication

A novel L1CAM mutation with L1 spectrum disorders: *F. Silan, I. Ozdemir and W. Lissens* 57

Fetal Imaging

Sonographic atypical vascular coiling of the umbilical cord: *A. Cromi, F. Ghezzi, P. Duerig, M. Travaglini, M. Buttarelli and L. Raio* 1

Diagnosis and outcome of fetal lower urinary tract obstruction in the northern region of England: *D. O. Anumba, J. E. Scott, N. D. Plant and S. C. Robson* 7

Short Communication

Prenatal diagnosis of Aicardi-Goutières syndrome: *M. Le Garrec, M. Doret, J. C. Pasquier, M. Till, P. Lebon, A. Buenerd, J. Escalon and P. Gaucherand* 28

Case Reports

Split notochord syndrome variant: prenatal findings and neonatal management: *A. Agangi, D. Paladini, P. Bagolan, G. M. Maruotti and P. Martinelli* 23

Sonographic markers of exencephaly below 10 weeks' gestation: *R. A. Machado, M. L. Brizot, M. H. B. Carvalho, A. L. Waissman, V. Bunduki and M. Zugaib* 31

Increased nuchal translucency and split-hand/foot malformation in a fetus with an interstitial deletion of chromosome 2q that removes the SHFM5 locus: *E. K. Bijlsma, A. C. Knegt, C. M. Bilardo and F. R. Goodman* 39

Fetal Infection

Is fetal gender a risk factor for severe congenital cytomegalovirus infection?: *O. Picone, J.-M. Costa, A. Dejean and Y. Ville* 34

Maternal Screening

The level of ADAM12-S in maternal serum is an early first-trimester marker of fetal trisomy 18: *J. Laigaard, M. I. Christiansen, C. Fröhlich, B. N. Pedersen, B. Ottesen and U. M. Wewer* 45

Down syndrome screening marker levels in women with a previous aneuploidy pregnancy: *H. S. Cuckle, K. Spencer and K. H. Nicolaides* 47

Accepting or declining the offer of prenatal screening for congenital defects: test uptake and women's reasons: *M. van den Berg, D. R. M. Timmermans, J. H. Kleinveld, E. Garcia, J. M. G. van Vugt and G. van der Wal* . . . 84

Epidemiology and Environmental Factors

Comparison of the use of amniocentesis in two countries with different policies for prenatal testing: the case of France and the United States: *B. Khoshnood, B. Blondel, G. Bréart, K.-S. Lee, P. Pryde and K. Schoendorf* . . 14

Technological Developments

Correlation between biomagnetic and Doppler findings of the uterine artery in normal and preeclamptic pregnancies: *P. Anastasiadis, K. Avgidou, A. N. Anastasiadis, A. Kotini, N. Koutlaki and P. Anninos* . . . 51

Letters to the Editor 91

Current Awareness in Prenatal Diagnosis 93

ISSUE NUMBER 2, FEBRUARY 2005

Fetal Cytogenetics

Invited Commentary

Prenatal diagnosis of Sanfilippo syndrome: *J. J. Hopwood* 148

Case Reports

Perinatal findings and molecular cytogenetic analysis of *de novo* partial trisomy 16q (16q22.1→qter) and partial monosomy 20q (20q13.3→qter): *C.-P. Chen, S.-P. Lin, C.-C. Lin, Y.-C. Li. S.-R. Chern, W.-M. Chen, C.-C. Lee, L.-J. Hsieh and W. Wang* 112

Severe intrauterine growth restriction and trisomy 15 confined placental mosaicism: a case report and review of literature: *S. Redaelli, E. Sala, N. Roncaglia, C. Colombo, F. Crosti, N. Villa, P. Tagliabue, A. Capellini and L. Dalprà.* 140

Mosaic trisomy (8)(p22→pter) in a fetus caused by a supernumerary marker chromosome without alphoid sequences: *J. M. de Pater, H. Y. Kroes, M. Verschuren, A. C. C. van Oppen, J. C. M. Albrechts and J. Engelen* 151

Fetal Molecular Biology and Biochemistry

Case Report

Carrier screening for α- and β-thalassemia in pregnancy: the results of an 11-year prospective program in Guangzhou Maternal and Neonatal Hospital: *C. Liao, Q.-H. Mo, J. Li, L.-Y. Li, Y.-N. Huang, L. Hua, Q.-M. Li, J.-Z. Zhang, Q. Feng, R. Zeng, H.-Z. Zhong, S.-Q. Jia, Y. Y. Cui and X.-M. Xu* 163

Fetal Cells in Maternal Circulation

Simple non-invasive prenatal detection of Hb Bart's disease by analysis of fetal erythrocytes in maternal blood: *E. T. Lau, Y. K. Kwok, H. Y. Luo, K. Y. Leung, C. P. Lee, Y. H. Lam, D. H. K. Chui and M. H. Y. Tang.* 123

Fetal Imaging

Reference ranges for umbilical vein blood flow in the second half of pregnancy based on longitudinal data: *G. Acharya, T. Wilsgaard, G. K. Rosvold Berntsen, J. M. Maltau and T. Kiserud* 99

Prenatal diagnosis of trisomy 18: report of 30 cases: *J. H. Yang, J. H. Chung, J. S. Shin, J. S. Choi, H. M. Ryu and M. Y. Kim* 119

Short Communication

Relative risk of abnormal karyotpye in fetuses found to have an atrioventricular septal defect (AVSD) on fetal echocardiography: *K. Langford, G. Sharland and J. Simpson* 137

Case Reports

Macrocephaly–cutis marmorata telangiectatica congenita syndrome – prenatal signs in ultrasonography: *R. H. Nyberg, J. Uotila, P. Kirkinen and H. Rosendahl* 129

Complex cardiac defect with hypoplastic right ventricle in a fetus with valproate exposure: *K. ten Berg, A. C. C. van Oppen, P. G. J. Nikkels, A. C. Gittenberger-de Groot, G. B. van der Voet, E. H. Brilstra and D. Lindhout* 156

Prenatal diagnosis of Juberg-Hayward syndrome: *S. Couvreur-Lionnais, T. Rousseau, N. Laurent, C. Thauvin-Robinet, E. Senet-Lacombe, A. L. Delezoïde, F. Mugneret, C. Durand, L. Faivre and P. Sagot* 172

Pathology of the Fetus and Placenta

Case Report

Late-onset growth restriction in Galloway-Mowat Syndrome – a case report: *L. Kang, P.-L. Kuo, K.-H. Lee, Y.-C. Liu, C.-H. Chang, F.-M. Chang and S.-J. Lin* 159

Maternal Screening

Re-evaluation of risk for Down syndrome by means of the combined test in pregnant women of 35 years or more: *Giovanni Centini, L. Rosignoli, R. Scarinci, E. Faldini, C. Morra, Gabriele Centini and F. Petraglia* . . . 133

Letters to the Editor 176

Current Awareness in Prenatal Diagnosis 181

ISSUE NUMBER 3, MARCH 2005

Fetal Cytogenetics

Prenatally detected trisomy 20 mosaicism: *W. P. Robinson, B. McGillivray, M. E. S. Lewis, L. Arbour, I. Barrett and D. K. Kalousek* 239

Short Communication

Prenatal diagnosis of trisomy 4p: a new locus for holoprosencephaly?: *H. Karmous-Benailly, A.-C. Tabet, A. Thaly, O. Dupuy, Y. Huten, D. Luton, C. Baumann and A.-L. Delezoide.* 193

Fetal Molecular Biochemistry

Prenatal diagnosis of megacystis-microcolon-intestinal hypoperistalsis syndrome: contribution of amniotic fluid digestive enzyme assay and fetal urinalysis: *F. Muller, S. Dreux, P. Vaast, Y. Dumez, I. Nisand, P. Boulot and J. Guibourdenche, for the Study Group of the French Fetal Medicine Society* 203

Fetal Imaging

Comparison of two techniques for transcervical cell sampling performed in the same study population: *R. Cioni, C. Bussani, B. Scarselli, S. Bucciantini, M. Marchionni and G. Scarselli* 198

Ectrodactyly-ectodermal dysplasia-clefting (EEC) syndrome presenting with a large nephrogenic cyst, severe oligohydramnios and hydrops fetalis: a case report and review of the literature: *T. Chuangsuwanich, P. Sunsaneevithayakul, K. Muangsomboon and C. Limwongse.* 210

Short Communications

Prenatal diagnosis of a cystic type IV sacrococcygeal teratoma mimicking a cloacal anomaly: contribution of MR: *C. Garel, L. Mizouni, F. Menez, D. Luton, J. Guibourdenche, Y. Aigrain and G. Sebag* 216

The association of echogenic fetal lungs with trisomy 21: *W. A. Grobman, E. Wang and L. P. Shulman* 225

Pathology of the Fetus and Placenta

Placental mesenchymal dysplasia associated with fetal aneuploidy: *M. C. Cohen, E. C. Roper, N. J. Sebire, J. Stanek and D. O. C. Anumba* 187

Short Communication

Magnetic resonance image findings of placental lake: report of two cases: *M. Morikawa, K. Cho, S. Kataoka, E. H. Kato, T. Yamada, H. Yamada and H. Minakami* 250

Maternal Screening

Lack of correlation between elevated maternal serum hCG during second-trimester biochemical screening and fetal congenital anomaly: *C. Celentano, P. E. Guanciali-Franchi, M. Liberati, C. Palka, D. Fantasia, E. Morizio, G. Calabrese, L. Stuppia and S. Rotmensch* 220

Second-trimester maternal serum screening for Down syndrome in *in vitro* fertilization pregnancies: *J. D. Rice, S. F. McIntosh and A. C. Halstead* 234

Short Communications

Triploidy identified through second-trimester serum screening: *T. Huang, E. Alberman, N. J. Wald and A. M. Summers* 229

Cysteinylation of maternal plasma albumin and its association with intrauterine growth restriction: *D. Bar-Or, K. D. Heybourne, R. Bar-Or, L. T. Rael, J. V. Winkler and D. Navot* 245

Psychosocial Aspects

Long-term psychological consequences of pregnancy termination for fetal abnormality: a cross-sectional study: *M. J. Korenromp, G. C. M. L. Christiaens, J. van den Bout, E. J. H. Mulder, J. A. M. Hunfeld, C. M. Bilardo, J. P. M. Offermans and G. H. A. Visser* 253

Letters to the Editor 261

Current Awareness in Prenatal Diagnosis 269

ISSUE NUMBER 4, APRIL 2005

Fetal Cytogenetics

Fluorescent *in situ* hybridization (FISH) on paraffin-embedded placental tissues as an adjunct for understanding the etiology of early spontaneous abortion: *D. Lescoat, H. Jouan, L. Loeuillet-Olivo and M. Le Calvé* . . . 314

A comparison of maternal age, sex ratio, and associated major anomalies among fetal trisomy 18 cases with different cell division of error: *C.-P. Chen, S.-R. Chern, F.-J. Tsai, C.-Y. Lin, Y.-H. Lin and W. Wang* . . . 327

Short Communications

Sonographic genital ambiguity in a fetus due to a mosaic 45,X/46,X,idic(Y)(qter-p11.32::p11.32-qter) karyotype: *D. Marcus-Soekarman, G. Hamers, A. L. M. Mulder, Jos Offermans, Jeanne Offermans, J. Engelen, J. C. M. van Lent-Albrechts, S. G. F. Robben, S. de Muinck Keizer-Schrama, K. P. Wolffenbuttel, L. H. J. Looijenga, J. W. Oosterhuis, C. Schrander-Stumpel and J. Nijhuis* 279

Reproductive history of a healthy woman with mosaic duplication of chromosome 4p: *L. Bernardini, L. Sinibaldi, C. Ceccarini, A. Novelli and B. Dallapiccola* 283

Prenatal foetal diagnosis of partial trisomy 3q and monosomy 13p due to a maternal balanced rearrangement: *A. Pires, L. Ramos, M. Venâncio, A. I. Rei, S. Castedo and J. Saraiva* 292

Y chromosome heterochromatin of differing lengths in two cell populations of the same individual: *Y. Akkari, H. Lawce, S. Kelson, C. Smith, C. Davis, L. Boyd, R. E. Magenis and S. Olson* 304

A fragile site at 10q23 (FRA10A) in a phenytoin-exposed fetus: a case report and review of the literature: *C. F. Morel, A. M. V. Duncan and V. Désilets* 318

Fetal Imaging

Population-based study of the outcome following the prenatal diagnosis of cystic hygroma: *E. S. Howarth, E. S. Draper, J. L. S. Budd, J. C. Konje, M. Clarke and J. J. Kurinczuk* 286

Lobar holoprosencephaly: prenatal MR diagnosis with postnatal MR correlation: *A. M.-C. Wong, L. T. Bilaniuk, K.-K. Ng, Y.-L. Chang, A.-S. Chao and Y.-Y. Wai* 296

Short Communication

The association of umbilical cord hemangioma with fetal vascular birthmarks: *E. Daniel-Spiegel, E. Weiner, G. Gimburg and E. Shalev* 300

Case Reports

Progressive neuronal degeneration of childhood: prenatal diagnosis by MRI: *J. de Laveaucoupet, F. Roffi, F. Audibert, F. Guis, C. Lacroix, N. Villeneuve, P. Landrieu and P. Labrune* 307

Dandy–Walker syndrome and *corpus callosum* agenesis in 5p deletion: *F. Vialard, R. Robyr, Y. Hillion, D. Molina Gomes, J. Selva and Y. Ville* 311

Maternal Screening

Developmental outcome of children who had choroid plexus cysts detected antenatally: *F. P. Bernier, S. G. Crawford and D. Dewey* 322

Epidemiology

Risk of a Down syndrome live birth in women of 45 years of age and older: *J. K. Morris, C. De Vigan, D. E. Mutton and E. Alberman* 275

Letters to the Editor 331

Current Awareness in Prenatal Diagnosis 338

ISSUE NUMBER 5, MAY 2005

Fetal Cytogenetics

Prenatal diagnosis of *de novo* proximal interstitial deletion of 9q and review of the literature of uncommon aneuploidies associated with increased nuchal translucency: *C.-P. Chen, S.-R. Chern, T.-Y. Chang, W.-L. Chen, L.-F. Chen, W. Wang and H.-E. C. Chen* **383**

Short Communication

Prenatal diagnosis of trisomy 6 mosaicism: *A. Destree, C. Fourneau, C. Dugauquier, S. Rombout, D. Sartenaer and Y. Gillerot* **354**

Fetal Molecular Biology and Biochemistry

Prenatal diagnosis of sickle syndromes in India: dilemmas in counselling: *R. Colah, R. Surve, A. Nadkarni, A. Gorakshakar, S. Phanasgaonkar, P. Satoskar and D. Mohanty* **345**

Isolation of epsilon-haemoglobin-chain positive fetal cells with micromanipulation for prenatal diagnosis: *G. R. Nagy, Z. Bán, F. Sipos, A. Beke, C. Papp and Z. Papp* **398**

Short Communication

Congenital nephrotic syndrome of Finnish type: detection of new nephrin mutations and prenatal diagnosis in an Italian family: *M. Gigante, P. Greco, V. Defazio, M. Lucci, M. Margaglione, L. Gesualdo and A. Iolascon* . . **407**

Fetal Imaging

Real time three-dimensional fetal echocardiography using matrix probe: *P. Acar, Y. Dulac, A. Taktak and S. Abadir.* **370**

Prenatal ultrasound diagnosis of cloacal exstrophy associated with myelocystocele complex by the 'elephant trunk-like' image and review of the literature: *M. Della Monica, A. Nazzaro, F. Lonardo, G. Ferrara, A. Di Blasi and G. Scarano* **394**

Diagnosis and outcome of congenital heart disease in fetuses from multiple pregnancies: *D. Paladini, M. Vassallo, G. Sglavo, M. G. Russo and P. Martinelli* **403**

Nuchal translucency measurement at different crown-rump lengths along the 10- to 14-week period for Down syndrome screening: *M. A. Zoppi, R. M. Ibba, M. Floris, F. Manca, C. Axiana and G. Monni* **411**

Short Communications

Severe fetal brain dysgenesis with focal calcification: *R. J. M. Gardner, C. W. Chow, I. Simpson, A. M. Fink, S. E. Meagher and S. M. White* **362**

Multichannel mapping of fetal magnetocardiogram in an unshielded hospital setting: *D. Brisinda, S. Comani, A. M. Meloni, G. Alleva, D. Mantini and R. Fenici* **376**

Maternal Screening

The impact of first-trimester screening on AMA patients' uptake of invasive testing: *A. M. Wray, A. Ghidini, C. Alvis, J. Hodor, H. J. Landy and S. H. Poggi* **350**

Second-trimester levels of pregnancy-associated plasma protein-A and free β-hCG in pregnancies with trisomy 13: *K. Spencer, J. A. Crossley, D. A. Aitken and K. H. Nicolaides* **358**

Ethnicity and the need for correction of biochemical and ultrasound markers of chromosomal anomalies in the first trimester: a study of Oriental, Asian and Afro-Caribbean populations: *K. Spencer, V. Heath, A. El-Sheikhah, C. Y. T. Ong and K. H. Nicolaides* **365**

Maternal serum pregnancy-associated plasma protein-A and free β-human chorionic gonadotrophin in pregnancies conceived with fresh and frozen-thawed embryos from *in vitro* fertilization and intracytoplasmic sperm injection: *P. W. Hui, Y. H. Lam, M. H. Y. Tang, E. H. Y. Ng, W. S. B. Yeung and P. C. Ho* **390**

Letters to the Editor **417**

Current Awareness in Prenatal Diagnosis **429**

ISSUE NUMBER 6, JUNE 2005

Fetal Cytogenetics

46,XY,18q+/46,XY,18q– mosaicism in a fragile X prenatal diagnosis: *L. Rodriguez-Revenga, C. Badenas, I. Madrigal, A. Sánchez, A. Soler, A. Carrió and M. Milà* **448**

Prenatal diagnosis and molecular cytogenetic analysis of partial monosomy 10q (10q25.3→qter) and partial trisomy 18q (18q23→qter) in a fetus associated with cystic hygroma and ambiguous genitalia: *C.-P. Chen, S.-R. Chern, T.-H. Wang, D.-W. Hsueh, C.-C. Lee, D.-D. Town, W. Wang and T.-M. Ko* **492**

Prenatal diagnosis, sonographic findings and molecular genetic analysis of a 46,XX/46,XY true hermaphrodite chimera: *C.-P. Chen, S.-R. Chern, J.-C. Sheu, S.-P. Lin, C.-Y. Hsu, T.-Y. Chang, C.-C. Lee, W. Wang and H.-E. C. Chen* **502**

Short Communications

Prenatal detection of a *de novo* terminal inverted duplication 4p in a fetus with the Wolf-Hirschhorn syndrome phenotype: *M.-P. Beaujard, J.-M. Jouannic, B. Bessières, C. Borie, I. Martin-Luis, C. Fallet-Bianco and M.-F. Portnoï* **451**

Prenatal diagnosis of partial trisomy 12q: clinical presentations and outcome: *H.-H. Peng, T.-H. Wang, D.-W. Hsueh, S.-D. Chang and Y.-K. Soong* **470**

Fetal Imaging

Fetal size charts for the Italian population. Normative curves of head, abdomen and long bones: *D. Paladini, M. Rustico, E. Viora, U. Giani, D. Bruzzese, M. Campogrande and P. Martinelli* **456**

First trimester screening for fetal triploidy at 11 to 14 weeks: a role for fetal biometry: *L. J. Salomon, J. P. Bernard, J. Nizard and Y. Ville* **479**

Fetal lateral neck cysts: the significance of associated findings: *R. Sharony, R. Tepper and M. Fejgin* **507**

Fetal nasal bone and trisomy 21 in the second trimester: *E. Viora, G. Errante, A. Sciarrone, S. Bastonero, B. Masturzo, G. Martiny and M. Campogrande* **511**

Short Communications

Prenatal diagnosis in pregnancies at risk for Joubert syndrome by ultrasound and MRI: *D. Doherty, I. A. Glass, J. R. Siebert, P. J. Strouse, M. A. Parisi, D. W. W. Shaw, P. F. Chance, M. Barr Jr and D. Nyberg* 442

Frontal bilateral megalencephaly: fetal and autopsy MR evaluation of an unclassified malformation: *C. Parazzini, A. Righini, F. Lalatta, E. Bianchini and F. Triulzi* 489

Case Reports

Congenital cervical teratoma, associated with agenesis of *corpus callosum* and a subarachnoid cyst: *I. Goldstein and A. Drugan.* 439

Sonographic features of lethal multiple pterygium syndrome at 14 weeks: *M. Chen, G. S. W. Chan, C. P. Lee and M. H. Y. Tang* 475

Pathology of the Fetus & Placenta

Case Report

Silver-Russell syndrome as a cause for early intrauterine growth restriction: *A. Falkert, K. Dittmann and B. Seelbach-Göbel* 497

Maternal Screening

The prenatal multiplier method for prediction of limb length discrepancy: *J. Paley, A. Gelman, D. Paley and J. E. Herzenberg* 435

Short Communications

Prospective audit of a one-centre combined nuchal translucency and triple test programme for the detection of trisomy 21: *V. Babbur, C. C. Lees, S. F. Goodburn, N. Morris, A. C. G. Breeze and G. A. Hackett* 465

Weight adjustment of serum markers in early first-trimester prenatal screening for Down syndrome: *T. Sørensen, S. Olesen Larsen and M. Christiansen* 484

Letters to the Editor 516

Current Awareness in Prenatal Diagnosis 529

ISSUE NUMBER 7, JULY 2005

Fetal Cytogenetics

Rapid detection of fetal aneuploidy using proteomics approaches on amniotic fluid supernatant: *T.-H. Wang, Y.-L. Chang, H.-H. Peng, S.-T. Wang, H.-W. Lu, S.-H. Teng, S.-D. Chang and H.-S. Wang* 559

The timing of demise in fetuses with trisomy 21 and trisomy 18: *R. H, Won, R. J. Currier, F. Lorey and D. R. Towner* 608

Case Report

Cornelia de Lange Syndrome in association with a balanced reciprocal translocation involving chromosomes 3 and 5: *N. Price, M. Bahra, D. Griffin, G. Hanna and A Stock* 602

Fetal Molecular Biology & Biochemistry

Precise prenatal diagnosis of tuberous sclerosis by sequencing the TSC2 gene: *A. Milunsky, S. H. Shim, M. Ito, R. K. Jaekle, L. L. Bassett, M. R. Brumund and J. M. Milunsky* 582

Fragmentation of cell-free fetal DNA in plasma and urine of pregnant women: *K. Koide, A. Sekizawa, M. Iwasaki, R. Matsuoka, S. Honma, A. Farina, H. Saito and T. Okai* 604

Short Communication

Prenatal DNA diagnosis of Noonan syndrome in a fetus with massive hygroma colli, pleural effusion and ascites: *G. Schlüter, M. Steckel, H. Schiffmann, K. Harms, V. Viereck, G. Emons, P. Burfeind and H.-U. Pauer* 574

Fetal Cells in Maternal Circulation

The utility of an erythroblast scoring system and gender-independent short tandem repeat (STR) analysis for the detection of aneuploid fetal cells in maternal blood: *D. H. Cha, K. Khosrotehrani, D. W. Bianchi and K. L. Johnson* 586

Fetal Imaging

Fetal hyperechogenic kidney with normal amniotic fluid volume: a diagnostic dilemma: *R. Mashiach, M. Davidovits, B. Eisenstein, D. Kidron, M. Kovo, J. Shalev, P. Merlob, D. Vardimon, Z. Efrat and I. Meizner* 553

Should determination of the karyotype be systematic for all malformations detected by obstetrical ultrasound?: *M. Staebler, C. Donner, N. Van Regemorter, L. Duprez, V. De Maertelaer, F. Devreker and F. Avni* 567

Case Reports

Prenatal diagnosis of Bruck syndrome: *C. Berg, A. Geipel, F. Noack, J. Smrcek, M. Krapp, U. Germer. G. Bender and U. Gembruch* 535

Cavum veli interpositi: prenatal diagnosis and postnatal outcome: *P. S. Shah, S. Blaser, A. Toi, K. Fong, P. Glanc, R. Babal-Hirji, J. Rutka and D. Chitayat* 539

Fetal Infections

Short Communication

Hydrops fetalis and neonatal death from human parvovirus B19: an unusual complication: *T. Marton. W. L. Martin and M. J. Whittle* 543

Psychosocial Aspects

Educating general practitioners about prenatal testing: approaches and challenges: *S. Metcalfe, M. Seipolt, M. Aitken and A. Flouris* 592

Technological Developments

Cardiac time intervals of normal fetuses using noninvasive fetal electrocardiography: *E. L. Chia, T. F. Ho, M. Rauff and W. C. L. Yip* 546

Prenatal fetal sex diagnosis by detecting amelogenin gene in maternal plasma: *B. Zhu, Q.-W. Sun, Y.-C. Lu, M.-M. Sun, L.-J. Wang and X.-H. Huang* 577

Letters to the Editor 612

Current Awareness in Prenatal Diagnosis 628

ISSUE NUMBER 8, AUGUST 2005

Fetal Cytogenetics

A unique case of der(11)t(11;22),-22 arising from 3:1 segregration of a maternal t(11;22) in a family with co-segregation of the translocation and breast cancer: *V. Jobanputra, W. K. Chung, A. M. Hacker, B. S. Emanuel and D. Warburton* 583

Short Communication

Prenatal detection of mosaic isochromosome 20q: a fourth report with abnormal phenotype: *C. Goumy, A. M. Beaufrère, C. Francannet, H. Laurichesse Delmas, F. Geissler, D. Lemery, P. J. Dechelotte and P. Vago* 653

Fetal Molecular Biology & Biochemistry

Pre- and postnatal diagnosis of tyrosine hydroxylase deficiency: *L. B. Moller, A. Romstad, M. Paulsen, P. Hougaard, A. Ormazabal, M. Pineda, N. Blau, F. Güttler and R. Artuch* 671

Fetal Imaging

Should fetal weight growth curves be population specific?: *O. Romano-Zelekha, L. Freedman, L. Olmer, M. S. Green, T. Shohat and The Israel Network for Ultrasound in Obstetrics and Gynecology* 709

Ethnic variation of fetal nasal bone length between 11–14 weeks gestation: *F. Collado, A. Bombard, V. Li, K. Julliard, L. Aptekar and Z. Weiner* 690

Meconium peritonitis: prenatal diagnosis, postnatal management and outcome: *K. L. Chan, M. H. Y. Tang, H. Y. Tse, R. Y. K. Tang and P. K. H. Tam* 676

Pathology of the Fetus and Placenta

Circulatory nucleosome levels are significantly increased in early and late onset preeclampsia: *X. Y. Zhong, S. Gebhardt, R. Hillemann, K. C. Tofa, W. Holzgreve and S. Hahn* 700

Prenatal diagnosis of a long QT syndrome by fetal magnetocardiography in an unshielded bedside environment: *U. Schneider, J. Haueisen, M. Loeff, N. Bondarenko and E. Schleussner* 704

Maternal Screening

Maternal weight and ethnic adjustment within a first trimester Down syndrome and trisomy 18 screening program: *D. A. Krantz, T. W. Hallahan, V. J. Macri and J. N. Macri* 635

First and second trimester biochemical markers of chromosomal anomalies and their relationship to maternal haemoglobin levels: *N. J. Cowans and K. Spencer* 693

The evolving national birth prevalence of Down syndrome in Taiwan: A study on the impact of second-trimester maternal serum screening: *H.-J. Jou, Y.-S. Kuo, J.-J. Hsu, M.-K. Shyu, T.-T. Hsieh and F.-J. Hsieh* 665

Short Communication

Congenital sialoblastoma (embryoma) associated with premature centromere division and high level of alpha-fetoprotein: *I. Ozdemir, E. Simsek, F. Silan and F. Demirci* 687

Psychosocial Aspects

Prenatal diagnosis of spinal muscular atrophy: Indian scenario: *A. Kesari, H. Rennert, D. G. B. Leonard, S. R. Phadke and B. Mittal* 641

Practical strategies in contingent sequential screening for Down syndrome: *P. Benn, D. Wright and H. Cuckle* 645

Informed choice in women attending private clinics to undergo first trimester screening for Down syndrome: *A. M. Jaques, L. J. Sheffield and J. L. Halliday* 656

Letters to the Editor 715

Current Awareness in Prenatal Diagnosis 727

ISSUE NUMBER 9, SEPTEMBER 2005

Special Topic Issue: Multiple Pregnancies: Prenatal Screening, Diagnosis and Management

Special Issue Editors: E. Jauniaux and L. S. Chitty

Editorial

The twin challenge in prenatal diagnosis: *E. Jauniaux and L. S. Chitty* 733

Reviews

The sonographic diagnosis of chorionicity: *A. P. M. Smith and A. Shetty* 735

Prenatal screening for Down syndrome and neural tube defects in twin pregnancies: *N. J. Wald and S. Rish* . . 740

Current concepts of Down syndrome screening tests in assisted reproduction twin pregnancies: another double trouble: *R. Maymon, O. Neeman, A. Shulman, H. Rosen and A. Herman* 746

Invasive diagnostic procedures in twin pregnancies: *B. Weisz and C. H. Rodeck* 751
Discordant growth in twins: *J. C. P. Kingdom, O. Nevo and K. E. Murphy* 759
Managing twins discordant for fetal anomaly: *M. A. Rustico, M. G. Baietti, D. Coviello, E. Orlandi and U. Nicolini* 766
Prenatal diagnosis and management of twin pregnancies complicated by a co-existing molar pregnancy: *L. Wee and E. Jauniaux* 772
Insights into the pathophysiology of twin–twin transfusion syndrome: *P. Galea, V. Jain and N. M. Fisk* . . . 777
Management of fetofetal transfusion syndrome: *R. Robyr, E. Quarello and Y. Ville* 786
Acardiac anomaly: current issues in prenatal assessment and treatment: *A. E. Wong and W. Sepulveda* . . . 796
Update on selective reduction: *M. I. Evans, D. Ciorica, D. W. Britt and J. C. Fletcher* 807
Conjoined twins: *L. Spitz* 814
First-trimester diagnosis of conjoined twins: *E. Pajkrt and E. Jauniaux* 820
Psychological aspects of prenatal diagnosis and its implications in multiple pregnancies: *E. Bryan* 827

Research Articles

Scanning for chorionicity: comparison between sonographers and perinatologists: *B. Weisz, P. Pandya, R. Dave and E. Jauniaux* 835
Diagnosis of conjoined twins before 16 weeks' gestation: the 4-year experience of one medical center: *R. Maymon, S. Mendelovic, M. Schachter, R. Ron-El, Z. Weinraub and A. Herman* 839
Haemoglobin differences at birth in monochorionic twins without chronic twin-to-twin transfusion syndrome: *E. Lopriore, M. Sueters, J. M. Middeldorp, F. P. Vandenbussche and F. J. Walther.* 844
Sonographic umbilical cord morphometry and coiling patterns in twin–twin transfusion syndrome: *A. Cromi, F. Ghezzi, P. Dürig, E. Di Naro and L. Raio* 851

Short Communication

Antepartum rupture of the intertwin dividing membrane in monochorionic diamniotic twins: a case report and review of the literature: *F. K. Nasrallah and Y. A. Faden* 856

Current Awareness in Prenatal Diagnosis 861

ISSUE NUMBER 10, OCTOBER 2005

Fetal Cytogenetics

Array comparative genomic hybridization profiling of first-trimester spontaneous abortions that fail to grow *in vitro*: *M. Benkhalifa, S. Kasakyan, P. Clement, M. Baldi, G. Tachdjian, A. Demirol, T. Gurgan, F. Fiorentino, M. Mohammed and M. B. Qumsiyeh* 894
Aneuploidy screening in coelomic samples using fluorescence *in situ* hybridisation (FISH): *K. Chatzimeletiou, G. Makrydimas, A. Sotiriadis, E. Paraskevaidis and K. H. Nicolaides* 919

Short Communications

Prenatal diagnosis in a family with X-linked hydrocephalus: *M. Panayi, D. Gokhale, S. Mansour and R. Elles* . . 930
Trisomy 2 due to a 3:1 segregation in an abortion studied by QF-PCR and CGH: *I. Lorda-Sánchez, D. Diego-Alvarez, C. Ayuso, M. Rodriguez de Alba, M. J. Trujillo and C. Ramos* 934
Prenatal diagnosis of del(9)(p24): a sex reverse case: *O. Privitera, G. Vessecchia, B. Bernasconi, D. Bettio, S. Stioui and G. Giordano* 945
Interstitial deletion del(10)(q25.2q25.3~26.11)—case report and review of the literature: *H. Kehrer-Sawatzki, E. Daumiller, J. Müller-Navia, H. Kendziorra, E. Rossier, G. du Bois and G. Barbi* 954

Case Report

Prenatal diagnosis of *de novo* (7;19)(q11.2;q13.3) translocation associated with a thick *corpus callosum* and Wilms tumor of the kidneys: *O. Cavicchioni, D. Molina Gomes, B. Leroy, F. Vialard, Y. Hillion, J. Selva and Y. Ville* 876

Fetal Cells in the Maternal Circulation

A semi-quantitative microarray method to detect fetal RNAs in maternal plasma: *Q. Ge, Q. Liu, Y. Bai, T. Wen and Z. Lu* 912

Fetal Imaging

Prenatal diagnosis of Beckwith–Wiedemann syndrome: *D. H. Williams, D. W. Gauthier and M. Maizels* . . . 879
First trimester screening for Down syndrome with ductus venosus Doppler studies in addition to nuchal translucency and serum markers: *A. Borrell, A. Gonce, J. M. Martinez, V. Borobio, A. Fortuny, O. Coll, H. Cuckle* 901
Second trimester ultrasound prenasal thickness combined with nasal bone length: a new method of Down syndrome screening: *R. Maymon, O. Levinsohn-Tavor, H. Cuckle, Y. Tovbin, E. Dreazen, Y. Wiener and A. Herman* 906

Case Report

Isolated right diaphragmatic eventration mimicking congenital heart disease *in utero*: *C.-K. Yang, J.-C. Shih, W.-M. Hsu, S.-S. Peng, M.-K. Shyu, C.-N. Lee and F.-J. Hsieh* 872

Preimplantation Genetic Diagnosis

Polar body biopsy and aneuploidy testing by simultaneous detection of six chromosomes: *M. Montag, N. Limbach, M. Sabarstinski, K. van der Ven, C. Dorn and H. van der Ven* 867

Pathology of the Fetus and Placenta

Prenatal infantile cortical hyperostosis (Caffey's disease): a 'hepatic myeloid hyperplasia-pulmonary hypoplasia sequence' can explain the lethality of early onset cases: *J. R. Wright Jr., M. C. Van den Hof and M. B. Macken.* 939

Maternal Screening

The influence of maternal insulin-dependent diabetes on fetal nuchal translucency thickness and first trimester maternal serum biochemical markers of aneuploidy: *K. Spencer, S. Cicero, A. Atzei, C. Otigbah and K. H. Nicolaides* 927

Prediction of pregnancy complications by first-trimester maternal serum PAPP-A and free β-hCG and with second-trimester uterine artery Doppler: *K. Spencer, C. K. H. Yu, N. J. Cowans, C. Otigbah and K. H. Nicolaides* 949

Psychosocial Aspects

Estimating the attitude of immigrants toward primary prevention of the hemoglobinopathies: *P. C. Giordano, A. A. Dihal and C. L. Harteveld* 885

Letters to the Editor 960

Current Awareness in Prenatal Diagnosis 971

ISSUE NUMBER 11, NOVEMBER 2005

Fetal Cytogenetics

Case Report

Prenatal diagnosis of jumping translocation involving chromosome 22 with ultrasonographic findings: *H. Aslan, B. Karaman, G. Yildirim and Y. Ceylan* 1024

Fetal Molecular Biology & Biochemistry

Sterol profiling of amniotic fluid: a routine method for the detection of distal cholesterol synthesis deficit: *F. Chevy, L. Humbert and C. Wolf* 1000

Rapid detection of chromosomal aneuploidies in uncultured amniocytes by multiplex ligation-dependent probe amplification (MLPA): *R. Hochstenbach, J. Meijer, J. van de Brug, I. Vossebeld-Hoff, R. Jansen, R. B. van der Luijt, R. J. Sinke, G. C. M. L. Page-Christiaens, J. K. Ploos van Amstel and J. M. de Pater* 1032

Reliable test for prenatal prediction of fetal RhD type using maternal plasma from RhD negative women: *F. B. Clausen, G. R. Krog, K. Rieneck, L. K. Neilsen, R. Lundquist, K. Finning, E. Dickmeiss, M. Hedegaard and M. H. Dziegiel* 1040

Prenatal diagnosis of cystinosis by quantitative measurement of cystine in chorionic villi and cultured cells: *M. Jackson and E. Young* 1045

The prenatal diagnosis of cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL) by mutation analysis: *A. Milunsky, C. Konialis, S. H. Shim, T. A. Maher, K. Spengos, M. Ito and C. Pangalos* 1057

Short Communication

Detection of a novel dystrophin gene mutation through carrier analysis performed during prenatal diagnosis in a case with intragenic recombination: *A. Percesepe, M. Ferrari, D. Coviello, M. Zanussi, M. Castagni, I. Neri, M. Travi, A. Forabosco and S. Tedeschi* 1011

Fetal Imaging

Case Report

Gorlin syndrome presenting as prenatal chylothorax in a girl: *D. Geneviève, E. Walter, P. Gorry, M. L. Jacquemont, L. Dupic, V. Layet, A. Munnich, V. Cormier-Daire, M. Dommergues, S. Lyonnet and D. Mitanchez* 997

Hydrops fetalis: an unusual prenatal presentation of hereditary congenital lymphedema: *E. Daniel-Spiegel, A. Ghalamkarpour, R. Spiegel, E. Weiner, M. Vikkula, E. Shalev and S. A. Shalev* 1015

Early ultrasonographic changes in Fowler syndromic features and review of the literature: *I. M. Usta, A. A. AbuMusa, N. G. Khoury and A. H. Nasser* 1019

Short Communication

Is there an increased rate of anencephaly in twins?: *I. Ben-Ami, Z. Vaknin, O. Reish, D. Sherman, A. Herman and R. Maymon* 1007

Fetal Infections

TORCH test for fetal medicine indications: only CMV is necessary in the United Kingdom: *S. A. Abdel-Fattah, A. Bhat, S. Illanes, J. L. Bartha and D. Carrington* 1028

Fetal Pathology of the Fetus and Placenta

Case Report

Twin pregnancy with a chimeric androgenetic and biparental placenta in one twin displaying placental mesenchymal dysplasia phenotype: *U. Surti, L. M. Hill, J. Dunn, T. Prosen and L. Hoffner* 1048

Maternal Screening

Maternal serum biochemistry at 11–13+6 weeks in relation to the presence or absence of the fetal nasal bone on ultrasonography in chromosomally abnormal fetuses: an updated analysis of integrated ultrasound and biochemical screening: *S. Cicero, K. Spencer, K. Avgidou, S. Faiola, and K. H. Nicolaides* 977

Population screening for fetal trisomy 21: easy access to screening should be balanced against a uniform ultrasound protocol: *W. J. Gyselaers, A. J. Vereecken, E. J. H. Van Herck, D. P. L. Straetmans, E. T. M. de Jonge, W. U. A. M. Ombelet and J. G. Nijhuis* 984

Increasing detection rates of birth defects by prenatal ultrasound leading to apparent increasing prevalence. Lessons learned from the population-based registry of birth defects of Barcelona: *J. Salvador, A. Borrell and A. Lladonosa* 991

Letters to the Editor 1059

Current Awareness in Prenatal Diagnosis 1073

ISSUE NUMBER 12, DECEMBER 2005

Fetal Cytogenetics

Prenatal detection of deletion 6q13q15 in a complex karyotype: *M. Yu, A. C. Obringer, M. H. Fowler, M. Hummel and S. L. Wenger* 1084

Recurrences of free trisomy 21: analysis of data from the National Down Syndrome Cytogenetic Register: *J. K. Morris, D. E. Mutton and E. Alberman* 1120

Prenatal diagnosis of monosomy 4p14→pter and trisomy 11q25→qter: clinical presentations and outcomes: *H.-H. Peng, T.-H. Wang, A.-S. Chao, Y.-L. Chang, S.-D. Chang and Y.-K. Song* 1133

Rapid determination of trisomy 21 from amniotic fluid cells using single-nucleotide polymorphic loci: *B. Nagy, Z. Bán, L. Lázár, R. Gyula Nagy, C. Papp, E. Tóth-Pál and Z. Papp* 1138

Fetal Molecular Biology

Vascular-type disruptive defects in fetuses with homozygous α- thalassemia: report of two cases and review of the literature: *M. P. Adam, J. Chueh, Y. Y. El-Sayed, A. Stenzel, H. Vogel, D. D. Weaver and H. Eugene Hoyme.* 1088

Short Communication

First prenatal molecular diagnosis in a family with holocarboxylase synthetase deficiency: *S. Malvagia, A. Morrone, E. Pasquini, S. Funghini, G. la Marca, E. Zammarchi, and M. A. Donati* 1117

Fetal Imaging

Reduction in diagnostic and therapeutic interventions by non-invasive determination of fetal sex in early pregnancy: *J. A. Hyett, G. Gardener, T. Stojilkovic-Mikic, K. M. Finning, P. G. Martin, C. Rodeck and L. S. Chitty* 1111

Prenatal forehead edema in 4p- deletion: the 'Greek warrior helmet' profile revisited: *J. M. Levaillant, C. Touboul, M. Sinico, A. Vergnaud, S. Serero, L. Druart, J. R. Blondeau, I. A. Alsamad, B. Haddad and M. Gérard-Blanluet* 1150

Case Reports

MRI supported diagnosis and counselling in a family with a probably autosomal recessive form of pachygyria: *S. A. Scherjon, L. Liauw and S. G. Kant* 1097

First-trimester fetal heart block and increased nuchal translucency: an indication for early fetal echocardiography: *A. Sciarrone, B. Masturzo, G. Botta, S. Bastonero, M. Campogrande and E. Viora* . . . 1129

Complex *de novo* cryptic subtelomeric rearrangements in a fetus with multiple ultrasonographic abnormalities and a normal karyotype at amniocentesis: *M. A. Iqbal, S. Ramadan, F. A. Ali and W. Kurdi* 1142

Maternal Screening

Predicting the result of additional second-trimester markers from a woman's first-trimester marker profile: a new concept in Down syndrome screening: *R. Maymon, H. Cuckle, R. Jones, O. Reish, R. Sharony and A. Herman* 1102

First-trimester screening for trisomy 21 in twin pregnancy: does the addition of biochemistry make an improvement?: *A. Goncé, A. Borrell, A. Fortuny, E. Casals, M. A. Martínez, I. Mercadé, V. Cararach and J. A. Vanrell* 1156

Integrated serum screening for Down syndrome in primary obstetric practice: *G. J. Knight, G. E. Palomaki, L. M. Neveux, D. E. Smith, E. M. Kloza, A. J. Pulkkinen, J. Williams and J. E. Haddow* 1162

Fetal Therapy

Case Report

Successful outcome following prenatal intervention in a female fetus with bladder outlet obstruction: *E. Jung, H.-S. Won, J.-Y. Shim, P. R. Lee, A. Kim and K. S. Kim* 1107

Fetal DNA in Maternal Blood

Short Communication

Non-invasive fetal RHD and RHCE genotyping from maternal plasma in alloimmunized pregnancies: *I. Hromadnikova, K. Vesela, B. Benesova, K. Nekovarova, D. Duskova, R. Vlk, I Spalova, R. Gerychova, A. Hakenova, Z. Rosenbaumova, P. Vlasin, A. Vlachova, V. Palasek, E. Roznakova and P. Calda* 1079

Letters to the Editor 1168

Current Awareness in Prenatal Diagnosis 1175

ISSUE NUMBER 13, DECEMBER 2005

Fetal Cytogenetics

A comparison of prenatal versus postnatal karyotyping for the investigation of intrauterine fetal death after the first trimester of pregnancy: *M. Khare, E. Howarth, J. Sadler, K. Healey and J. C. Konje* 1192

Fetal Molecular Biology & Biochemistry

Prenatal diagnosis of *PLP1* copy number by array comparative genomic hybridization: *J. A. Lee, S. W. Cheung, P. A. Ward, K. Inoue and J. R. Lupski* 1188

Methylenetetrahydrofolate reductase gene polymorphisms and their association with trisomy 21: *G. L. Acácio, R. Barini, C. S. Bertuzzo, E. C. Couto, J. M. Annichino-Bizzacchi and W. P. Júnior* 1196

Fetal Imaging

Role of fetal ultrasound and magnetic resonance imaging in the prenatal diagnosis of migration disorders: *C. Rubod, Y. Robert, N. Tillouche, L. Devisme, V. Houfflin-Debarge and F. Puech* 1181

Ductus venosus Doppler velocimetry in the prediction of acidemia at birth: which is the best parameter?: *F. H. C. Carvalho, A. F. Moron, R. Mattar, R. M. Santana, C. G. V. Murta, M. M. Barbosa, M. R. Torloni and F. A. P. Vasques* 1212

Evolution of subarachnoid space in normal fetuses using magnetic resonance imaging: *Y. Watanabe, S. Abe, K. Takagi, T. Yamamoto and T. Kato* 1217

Intrauterine hemodynamic change in TTTS: the alterations in the inferior vena cava waveform in the donor fetus: *M. Morine, K. Maeda, M. Sudo, T. Kagi and M. Irahara* **1234**
Mild pyelectasis diagnosed by prenatal ultrasound is not a predictor of urinary tract morbidity in childhood: *H. A. M. Damen-Elias, S. E. Luijnenburg, G. H. A. Visser, P. H. Stoutenbeek and T. P. V. M. de Jong* **1239**

Short Communication
Successful selective termination at 17 weeks' gestation in monochorionic monoamniotic twin pregnancy affected by twin–twin transfusion syndrome and discordant for hypoplastic left heart syndrome: *M. del Río, J. M. Martínez, A. Galindo, F. Figueras, M. Palacio, A. Borrell, B. Puerto, O. Coll and P. de la Fuente* . . . **1223**

Preimplantation Genetic Diagnosis
Preimplantation genetic diagnosis (PGD) for Duchenne muscular dystrophy (DMD) by triplex-nested PCR: *M. Malcov, D. Ben-Yosef, T. Schwartz, N. Mey-Raz, F. Azem, J. B. Lessing, A. Amit and Y. Yaron* **1200**

Maternal Screening
Short Communications
The influence of risk estimates obtained from maternal serum screening on amniocentesis rates: *V. M. Mueller, T. Huang, A. M. Summers and S. H. M. Winsor* **1253**
The effect of fetal gender on the false-positive rate of Down syndrome by maternal serum screening: *V. M. Mueller, T. Huang, A. M. Summers and S. H. M. Winsor* **1258**

Psychosocial Aspects
Rapid prenatal diagnostic testing for Down syndrome only or longer wait for full karyotype: the views of pregnant women: *M. Ryan, J. Diack, V. Watson and N. Smith* **1206**
Psychological consequences of termination of pregnancy for fetal anomaly: similarities and differences between partners: *M. J. Korenromp, G. C. M. L. Page-Christiaens, J. van den Bout, E. J. H. Mulder, J. A. M. Hunfeld, C. M. Bilardo, J. Offermans and G. H. A. Visser* **1226**
Expectation and knowledge of women undergoing first trimester combined screening for Down syndrome in a Chinese population: *L. W. Chan, M. C. M. Chau, T. Y. Leung, T. Y. Fung, T. N. Leung and T. K. Lau* **1248**

Author index **1263**

Subject Index **1267**

Volume contents . . . . . **i**